


Security System Hardware



www.ArtMaterialsService.com National Toll Free: 888-522-5526 Phone: 732-545-8888 Fax: 732-545-9166 625 Joyce Kilmer Avenue, New Brunswick, NJ 08901, USA Founded in 1976 Art Materials Service, Inc. © 2009 Volume #30

THANK YOU FOR YOUR INTEREST IN AMS PRODUCTS!

Art Materials Service, Inc. (AMS) was founded in 1976 to provide reliable generic hardware to the aluminum picture framing industry. By 1985, AMS became the world's largest manufacturer of metal hardware to this industry with a reputation for high quality and fair prices. Our continually expanding primary product line consists of metal hardware to assemble, hang, and secure aluminum, wood and plastic picture frames. Other items in our line include self-locking protective corrugated corners, mounting materials, laminating films, wire, easel backs, and a growing selection of hand- and air-operated machines used for the installation of AMS parts.

Most prices are quoted as **"cost per thousand" (or "M")** parts. In order to avoid problems with the decimal, remember that \$10.00/M parts = \$0.01/each part.

PLEASE NOTE: Minimum invoice value for domestic orders has been decreased to \$150.00. Orders under \$150.00 will incur a \$35.00 handling fee.

\$300.00 minimum order for exports.

If you require technical assistance, need an AMS distributor referral, or would like samples of AMS products, contact us:

- By Phone, Toll Free National: 888-522-5526 or Local: 732-545-8888
- By Fax: 732-545-9166
- Visit Our Website: www.ArtMaterialsService.com

Art Materials Service also has a **European Distribution** center in Emmerich, Germany:

AMS Trading GmbH, Max-Planck-Str. 17, 46446 Emmerich, Germany Phone: 49-(0)2822-91302-0 Fax: 49-(0)2822-91302-25 Web: www.AMS-Trading.de

TERMS AND CONDITIONS OF SALE

From day of shipment – Net 30 days – Upon approval by the AMS Credit Department. FOB Art Materials Service, Inc., warehouse. Not responsible for goods damaged in transit. All claims must be made within 5 days after receipt of goods. All prices are subject to change without notice. A 2% service charge per month on all balances over 30 days. Any costs sustained by Art Materials Service, Inc. in collecting delinquent accounts will become part of the total amount owed to Art Materials Service, Inc. Our liability shall be limited solely to the replacement or repair of defective material not meeting our specifications. Returns are only accepted when issued a return authorization number and packing slip.

SPECIAL PACKAGING

Most bulk items in our catalog can be bagged or boxed in a form to make their handling and usage easier for our customers. AMS can also produce custom packs of hardware. For example: 2 wire hangers, 2 screws, and a 24" coil of wire in a private labeled package. For an individual quote please contact our Customer Service Department.

Due to ever-changing market conditions, our prices fluctuate often. Please refer to our Web site or call to verify pricing.

Phone: 732-545-8888 Domestic Toll Free: 888-522-5526 Fax: 732-545-9166

Security System for Wood and Metal Frames

Hardware in Bulk	4
Hardware Packaged in Polybags and Framepaks	6
Instructions	8
EZ Bar / Cleats for Securing Heavy Frames and Mirrors	9
New!! Aluminum Hanging Strips / Cleats for Heavy Frames	. 10

09.Mar.23

Security hardware packaged in bulk cartons

The AMS Security System affixes wood and metal frames to walls with this special set of hardware. When all hardware is engaged, frames are not easily removed from walls without the use of an AMS Secure-T Wrench.

To secure a frame, use 2 Mounting Brackets on the upper side of the frame and 1 Secure-T Screw on the lower side of the frame. For large frames, AMS recommends using 2 Secure-T Screws on the lower side of the frame. For small frames, it may be possible to simply use 2 Secure-T Screws along two sides of the frame and eliminate the Mounting Brackets.

AMS Secure-T Bits can adapt screw drivers for the installation of Secure-T Screws and help complete large jobs. (See AMS Power Drill Adaptors #555-2-11 and #555-2-186.)

555-11

AMS Secure-T Screws for engagement either directly into standard #11-type (doubleplate) aluminum frames or AMS #555-6 plates on wooden frames. Head size is 14mm. Use with AMS #555-3 Wall Anchors.

Qty / UM		1 - 9 BG	
100/bag 20) bags/ctn	19.00	
		1 - 4 M	5+ M
1000/box		160.00	136.00
	1 - 2 CTN	3 - 9 CTN	10+ CTN
2500/box	320.00	270.00	242.50 <i>97.00</i>
	100/bag 20 1000/box	100/bag 20 bags/ctn 1000/box 1 - 2 CTN 2500/box 320.00	100/bag 20 bags/ctn 19.00 1 - 4 M 1000/box 160.00 1 - 2 CTN 3 - 9 CTN 2500/box 320.00 270.00



AMS Secure-T Wrenches are sold in 3 lengths: (1) 2-inch for small jobs and retail packs. (2) 5.5-inch with deep notch and hard steel for extended use. (3) 9-inch for wide frames with deep notch and hard steel for extended use.

Code	Length	5 - 99 EA	100 - 199 EA	200 - 499 EA	500+ EA*
55T30	2-inch	1.25	1.00	.70	.52
55T40	5.5-inch	2.20	1.80	1.25	0.90
		1 - 19 EA	20 - 49 EA	50 - 199 EA	200+ EA*
55T51	9-inch	6.75	6.15	5.35	4.10



AMS Slide-in Mounting Brackets for engagement directly behind **standard #11-type aluminum frame hardware channel**. Metal frame slides over brackets and holds frame at a 5mm distance from the wall. **Plated Zinc Clear**.

*					
Code	Qty / UM	PRICE			
55521-2H	200/bag	41.50			
		1 - 2 BX	3+BX		
55521-1MK	1000/box	90.00	85.00		
		1 - 2 BX	3 - 7 BX	8+ BX*	
55521-2500	2500/box	195.00	155.00	115.00	



555-31

AMS Slide-in Mounting Brackets fit either behind AMS #555-6 plates **affixed on Wood Frames or behind the hardware channels of Metal Frames**. Brackets slide directly into the channel of metal frames and hold frames at a 5mm distance from the wall. **Plated Zinc Yellow**.

Code Qty / UM 1 - 9 BG 1+ CTN 55531-1H10 100/bg -10 b/ctn 23.00 163.00 1 - 9 BG 1+ CTN 55531-2H10 200/bag 40.00 257.50 Old code: 555-31-2H 10 bags/carton Price per bag 25.75 1 - 5 CTN 6 - 19 CTN 20+ CTN* 55531-1MK 1000/carton 82.50 74.00 48.50 Old code: 555-31-X (1 drum) (1 drum) 10 drum)
1 - 9 BG 1+ CTN 55531-2H10 200/bag 40.00 257.50 Old code: 555-31-2H 10 bags/carton Price per bag 25.75 1 - 5 CTN 6 - 19 CTN 20+ CTN* 55531-1MK 1000/carton 82.50 74.00 48.50
55531-2H10 200/bag 40.00 257.50 Old code: 555-31-2H 10 bags/carton Price per bag 25.75 1 - 5 CTN 6 - 19 CTN 20+ CTN* 55531-1MK 1000/carton 82.50 74.00 48.50
Old code: 555-31-2H 10 bags/carton Price per bag 25.75 1 - 5 CTN 6 - 19 CTN 20+ CTN* 55531-1MK 1000/carton 82.50 74.00 48.50
1 - 5 CTN 6 - 19 CTN 20+ CTN* 55531-1MK 1000/carton 82.50 74.00 48.50
55531-1MK 1000/carton 82.50 74.00 48.50
Old code: 555-31 V (1 drum)
1 - 2 CTN 3 - 7 CTN 8+ CTN*
55531-2500 2500/carton 168.00 132.00 98.00
Old code: 555-31-HM Price per M 67.20 52.80 39.20

Security hardware packaged in bulk cartons -- Continued



AMS Secure-T Slotted Brackets with patented marking dimples are **required on Wood Frames for engagement of AMS Secure-T Screws and Mounting Brackets**. Use with AMS #F1215 screws.

Code	Qty / UM	Price / Bag			
5556-1H	100/bag 20 bags/ctn	17.00			
		1 - 4 M	5+ M		
5556-1MK	1000/box	70.50	62.50		
		1 - 2 CTN	3 - 9 CTN	10+ CTN	
5556-HM	2500/box	148.00	122.25	98.00	
	Price per thousand	59.20	48.90	39.20	



555-3

F1210

Plastic, bullet-shaped wall anchors (Rawl plugs) used to secure AMS Secure-T Screws and AMS #F1210 Screws into walls, including dry walls and concrete.

Code	Qty / UM	1 - 2 BG	3+ BG			
5553-3H	300/bag	11.15	10.00			
	Price per thousand	37.17	33.33			
		1 - 2 BG	3 - 4 BG	5+ BG		
5553-1M	1000/bag	28.60	22.85	20.00		
		1 - 6 BX	7 - 18 BX	9 - 41 BX	42+ BX*	
5553-HM	2500/box	67.50	54.00	46.00	40.00	
	Price per thousand	27.00	21.60	18.40	16.00	

#12 x 1" Phillips round head screw: Required for installation of AMS #555-21 and AMS #555-31 Slide-In Mounting Brackets. Use with AMS #555-3 Wall Anchors.

Code	Oty / UM	1 - 19 BG	20+ BG*	
F1210-2H	200/bag	21.00	17.25	
		1 - 4 BG	5+ BG*	
F1210-1M	1000/bag	90.00	60.00	
		1 - 4 CTN	5+ CTN	
F1210-4M	4000/carton	225.00	180.00	
	Price per thousand	56.25	45.00	
Augure Constant				w: Required to attach AMS #555-6 Secure-T iously AMS #F1303)

Code Qty / UM Price/bag
F1215-6H 600/bag 19.50
1 - 9 BG 10 - 40 BG 50+ BG*
F1215-1M 1000/bag 26.50 18.50 14.50

555-3A	Wall Anchor for screws.				
Code	Qty / UM	Price/bag			
5553A-3H	300/bag; 17 bg/carton	20.00			
		1 - 4 BG	5 - 15 BG	20 - 45 BG	50+ BG
5553A-1M	1000/bag; 5 bg/carton	33.00	28.00	23.50	21.00
		1 - 3 CTN	4 - 9 CTN	10+ CTN	
5553A-5000	5000/carton	110.00	98.00	88.00	
	Price per 1000	22.00	19.60	17.60	

Secure-T Screw Installation Adaptors for Power Drills & Screwdrivers

DEE	Redesigned Power Drill Adaptors for AMS Secure-T Screws include an Allen holder. Now the bit can b easily fit into new model screwdrivers and drills without having to lock it in place. This drill bit fits bo new and old power drills for the installation of AMS Secure-T Screws to help complete large jobs quic			
Code	Description	1 - 9 EA	10+ EA	
555-2-11-A	Drill attachment to install 555-11 Secure-T screws.	25.00	15.95	
555-2-186A	Drill attachment to install 555-186 Secure-T screws.	25.00	15.95	

Secure-T Screws for #186- and #444-Type Metal Mouldings -- Packaged in bulk cartons

A	555-186	Secure-T Screws for engagement into #186-type aluminum mouldings with narrow channels: Head size is 10mm.					
	555 100	Secure-T Screws for engagement into #444-type Slimline aluminum mouldings: Head size is 11.5mm.					
Code for #186	Code for #444	Qty / UM	Price				
555-186S-H	555-186L-H	100/bag	Call for quote				
555-186S-X	555-186L-X	1000/box					
555-186-S	555-186-L	2500/box Price per M					

Security Polybags for Wood Frames -- Hardware sealed in individual bags to secure a single frame

WOOD Polybags each contain: 2 each 555-31 Brackets with 2 each F1210 Screws for mounting, 1 each 555-11 Secure-T Screws, 3 each 555-3 Anchors, 3 each 555-6 Plates with 6 each F1215 Screws for mounting, Instructions printed on bag.

Code	Polybags / Box	1 Polybag	100 - 200 BG	300 - 400 BG	500 - 2400 BG	2500+ BG*
555-WOOD-P	100/box Price per box	2.40	1.45 <i>145.00</i>	1.14 <i>114.00</i>	1.06 <i>106.00</i>	0.93 <i>93.00</i>
	Price per Dox		145.00	114.00	100.00	95.00

Security Framepaks for Wood Frames -- Hardware boxed in bulk to secure 100 frames

WOOD Framepaks each contain: 200 each 555-31 Brackets with 200 each F1210 Screws, 100 each 555-11 Secure-T Screws, 300 each 555-3 Anchors, 300 each 555-6 Plates with 600 each F1215 Screws, 1 Case-hardened Wrench. Instructions included.

Code	1 - 4 BX	5 - 24 BX	25 - 99 BX	100+ BX*	
555-WOOD-X	100.00	92.00	79.00	68.00	

Security Polybags for securing Wood Frames measuring over 24" (60cm) wide

WOOD2 Polybags each contain: 2 each 555-31 Brackets with 2 each F1210 Screws for mounting, 2 each 555-11 Secure-T Screws, 4 each 555-3 Anchors, 4 each 555-6 Plates with 8 each F1215 Screws for mounting, Instructions printed on bag.

Code	Polybags / Box	1 Polybag	100 - 200 BG	300 - 400 BG	500 - 2400 BG	2500+ BG*
555-WOODP2	100/box	4.50	2.70	2.25	2.00	1.72
	Price per box		270.00	225.00	200.00	172.00

Security Framepaks for securing Wood Frames measuring over 24" (60cm) wide

WOOD2 Framepaks each contain: 200 each 555-31 Brackets with 200 each F1210 Screws, 200 "555-11" Secure-T Screws, 400 each 555-3 Anchors, 400 each 555-6 Plates with 800 each F1215 Screws, 1 Case-hardened Wrench. Instructions included.

Code	1 - 4 BX	5 - 24 BX	25 - 99 BX	100+ BX*	
555-WOODX2	152.00	132.50	119.00	106.00	

Art Materials Service • 625 Joyce Kilmer Avenue • New Brunswick, NJ 08901 • USA Phone: 732-545-8888 or USA free 888-522-5526 Fax: 732-545-9166 Web: www.ArtMaterialsService.com

Standard Security Polybags for Metal Frames -- Individual bags to secure a single frame

555-11-P-1 Polybags each contain: 2 each 555-21 Brackets with 2 each F1210 Screws for mounting,

1 each 555-11 Secure-1 Screws, 3 each 555-3 Anchors, Instructions printed on bag. 100 Polybags are packaged per box.

Code	Polybags / Box	1 Polybag	100 - 200 BG	300 - 400 BG	500 - 2400 BG	2500+ BG*
555-11-P-1	100/box	1.50	0.93	0.87	0.74	0.61
	Price per box		93.00	87.00	70400	61.00

Standard Security Framepaks for Metal Frames -- Hardware boxed in bulk to secure 100 frames

555-11-X1 Framepaks each contain: 200 each 555-21 Brackets with 200 each F1210 Screws for mounting, 100 each 555-11 Secure-T Screws, 300 each 555-3 Anchors, 1 Case-hardened Wrench. Instructions included.

Code	1 - 4 BX	5 - 24 BX	25 - 99 BX	100+ BX*	
555-11-X-1	74.00	61.50	50.75	48.60	

Standard Security Polybags for securing Metal Frames measuring over 24" (60cm) wide

555-11P12 Polybags each contain: 2 each 555-21 Brackets with 2 each F1210 Screws for mounting, 2 each 555-11 Secure-T Screws, 4 each 555-3 Anchors, Instructions printed on bag. 100 Polybags are packaged per box.

Code	Polybags / Box	1 Polybag	100 - 200 BG	300 - 400 BG	500 - 2400 BG	2500+ BG*
555-11P12	100/box	2.90	1.79	1.40	1.23	1.07
	Price per box		179.00	140.00	123.00	107.00

Standard Security Framepaks for securing Metal Frames measuring over 24" (60cm) wide

555-11-X12 Framepaks each contain: 200 each 555-21 Brackets with 200 each F1210 Screws for mounting, 200 each 555-11 Secure-T Screws, 400 each 555-3 Anchors, 1 Case-hardened Wrench. Instructions included.

Code	1 - 4 BX	5 - 24 BX	25 - 99 BX	100+ BX*	
555-11-X12	138.00	128.00	112.00	86.00	

Security Polybags for Metal Frames -- Designer #48, #96 & Nielsen #75 -- and Metal Mouldings with inward extending backs. Also good for hanging Wood Frames when 555-6 plate has been pre-installed

555-11-P-2 Polybags each contain: 2 each 555-31 Brackets with 2 each F1210 Screws for mounting, 1 each 555-11 Secure-T Screws, 3 each 555-3 Anchors, Instructions printed on bag. 100 Polybags are packaged per box.

Code	Polybags / Box	1 Polybag	100 - 200 BG	300 - 400 BG	500 - 2400 BG	2500+ BG*
555-11-P-2	100/box	1.60	0.98	0.90	0.78	0.63
	Price per box		98.00	90.00	78.00	63.00

Security Framepaks for Metal Frames -- Designer #48, #96 & Nielsen #75 -- as detailed above for Polybags


555-11-X-2 Framepaks each contain: 200 each 555-31 Brackets with 200 each F1210 Screws for mounting, 100 each 555-11 Secure-T Screws, 300 each 555-3 Anchors, 1 Case-hardened Wrench. Instructions included.

Code	1 - 4 BX	5 - 24 BX	25 - 99 BX	100+ BX*	
555-11-X-2	76.00	63.00	51.50	49.00	

Insert AMS Secure-T Screw into Bracket and turn with Special Wrench to Secure Frame onto Wall

Art Materials Service • 625 Joyce Kilmer Avenue • New Brunswick, NJ 08901 • USA Phone: 732-545-8888 or USA free 888-522-5526 Fax: 732-545-9166 Web: www.ArtMaterialsService.com

SECURITY HARDWARE INSTRUCTIONS



AMS Security Instructions Copyright © 2009 Can only be reproduced with permission of Art Materials Service, Inc.

AMs

09.Mar.23

Z-Bars for Heavy Frames



The EZ Bar System is designed to hang art, mirrors, cabinets and other heavy objects. Two bars are needed per frame: One for the wall and one for the frame. Height dimension for all bars listed here is 1-1/16" (2.7cm).

How to Use

- 1. Attach one bar along the **TOP** of the frame. Recommended screw for attaching first bar onto frame. (AMS# F1215 size #6 x 1/2" phillips head.)
- Determine placement on the wall using a level to ensure the frame will hang correctly. Use wall anchors to secure the second bar with screws onto the wall. (AMS# F1228 size #8 x 1" phillips head with AMS# 555-3A anchor.)


Note: For security, you can add and AMS Mounting Bracket on to the bottom center of the frame and affix it to the wall using an AMS Locking T-Screw.

Code	Description	Length	Depth	PRICE PER FOOT
ZB1-72	2 Lite bar - for 40 lb. or less	6′ (1.83m)	0.040" (1.02mm)	PLEASE CALL FOR QUOTE
ZB2-72	Regular bar - for 90 lb. or less	6′ (1.83m)	0.055″ (1.4mm)	
ZB3-72	P Heavy bar - for over 90 lb.	6' (1.83m)	0.080" (2.03mm)	
ZB2-12	Regular bar - for 90 lb. or less	12' (3.66m)	0.055" (1.4mm)	
ZB3-12	Pheavy bar - for over 90 lb.	12' (3.66m)	0.080" (2.03mm)	
				PRICE PER BAR
ZB1-8	Lite bar - for 40 lb. or less	8" (20.3cm)	0.040" (1.02mm)	PLEASE CALL FOR QUOTE
ZB1-18	3 Lite bar - for 40 lb. or less	18" (45.7cm)	0.040" (1.02mm)	
ZB2-18	8 Regular bar - for 90 lb. or less	18" (45.7cm)	0.055" (1.4mm)	

-9-

Aluminum Hanging Strips / Cleats for Heavy Frames -- NEW -- Manufactured in NJ by AMS !!

AMS Cleats / Hanging Strips For for Fast Level Hanging of Frames and Mirrors



AMS Cleats are installed with screws on metal or wooden frames after assembly. Many widths are available to accomodate size and weight of frame. Locking option with additional hardware allows frames to be secured.

All AMS Cleats are manufactured at our facilities in New Jersey, USA.



Code	Description	Length	Thickness	100-900 EA	1000-9900 EA
Z3204	Regular bar	4" (10.16cm)	0.032" (0.813 mm)	Call	
Z3206	Regular bar	6" (15.24cm)	0.032" (0.813 mm)	for	
Z3208	Regular bar	8" (20.32cm)	0.032" (0.813 mm)	Quote	
Z3212	Regular bar	12" (30.48cm)	0.032" (0.813 mm)		
Z3218	Regular bar	18" (45.72cm)	0.032" (0.813 mm)		
Z3224	Regular bar	24" (60.96cm)	0.032" (0.813 mm)		
Z3230	Regular bar	30" (76.2cm)	0.032" (0.813 mm)		
Z3236	Regular bar	36" (91.44cm)	0.032" (0.813 mm)		
Z3242	Regular bar	42" (106.7cm)	0.032" (0.813 mm)		
Z3248	Regular bar	48" (121.9cm)	0.032" (0.813 mm)		
Z3272	Regular bar	72" (182.9cm)	0.032" (0.813 mm)		

NEW !! ALUMINUM HANGING STRIPS / CLEATS FOR HEAVY FRAMES

Aluminum Hanging Strips / Cleats for Heavy Frames NEW Manufactured in NJ by AMS !!									
Code	Description	Length	Thickness	100-900 EA	1000-9900 EA				
Z4004	Heavy bar	4" (10.16cm)	0.040" (1.016 mm)		Call				
Z4006	Heavy bar	6" (15.24cm)	0.040" (1.016 mm)		for				
Z4008	Heavy bar	8" (20.32cm)	0.040" (1.016 mm)		Quote				
Z4012	Heavy bar	12" (30.48cm)	0.040" (1.016 mm)						
Z4018	Heavy bar	18" (45.72cm)	0.040" (1.016 mm)						
Z4024	Heavy bar	24" (60.96cm)	0.040" (1.016 mm)						
Z4030	Heavy bar	30" (76.2cm)	0.040" (1.016 mm)						
Z4036	Heavy bar	36" (91.44cm)	0.040" (1.016 mm)						
Z4042	Heavy bar	42" (106.7cm)	0.040" (1.016 mm)		Call				
Z4048	Heavy bar	48" (121.9cm)	0.040" (1.016 mm)		for				
Z4072	Heavy bar	72" (182.9cm)	0.040" (1.016 mm)		Quote				
Z2504	Lite bar - for 60 lb. or less	4" (10.16cm)	0.025" (0.635 mm)						
Z2506	Lite bar - for 60 lb. or less	6" (15.24cm)	0.025" (0.635 mm)						
Z2508	Lite bar - for 60 lb. or less	8" (20.32cm)	0.025" (0.635 mm)						
Z2512	Lite bar - for 60 lb. or less	12" (30.48cm)	0.025" (0.635 mm)						
Z2518	Lite bar - for 60 lb. or less	18" (45.72cm)	0.025" (0.635 mm)						
Z2524	Lite bar - for 60 lb. or less	24" (60.96cm)	0.025" (0.635 mm)						
Z2530	Lite bar - for 60 lb. or less	30" (76.2cm)	0.025" (0.635 mm)						
Z2536	Lite bar - for 60 lb. or less	36" (91.44cm)	0.025" (0.635 mm)						
Z2542	Lite bar - for 60 lb. or less	42" (106.7cm)	0.025" (0.635 mm)						
Z2548	Lite bar - for 60 lb. or less	48" (121.9cm)	0.025" (0.635 mm)						
Z2572	Lite bar - for 60 lb. or less	72" (182.9cm)	0.025″ (0.635 mm)						

- 11 -